



de light ful is a hanging tubular light fixture with integrated LED light. With a light source on top and bottom, you can create your own atmosphere. The use of this lighting-object will give an extra dimension to your room. You can choose for a version with solid colors or for a version with dynamic colors controllable by DMX. The RGBW LEDs give you the opportunity to choose any desired color.









°de light ful

colours ●●

DLF55WHI.**C.D.T.B** de light ful Fixture - 55 mm - Fixed Color (top: W, bottom: W)

C - body colour **BK**= Black, **WH**= White
D - diffuser **F**= Frosted Ice OR optics **10, 20, 30, 40** degrees
T - LED top **WW**= Warm White 3000K
B - LED bottom **WW**= Warm White 3000K

DLF55CLR.**C.D.T.B** de light ful Fixture - 55 mm - Fixed Color (top: R/G/B/W/..., bottom: W)

C - body colour **BK**= Black, **WH**= White
D - diffuser **F**= Frosted Ice OR optics **10, 20, 30, 40** degrees
T - LED top **R**= Red, **G**= Green, **B**= Blue, **W**= White, **Y**=Yellow, **M**= Magenta, **C**= Cyan
B - LED bottom **WW**= Warm White 3000K


DLF55DMX5.**C.D.T.B** de light ful Fixture - 55 mm - 5 channel DMX (top: RGBW, bottom: W)

C - body colour **BK**= Black, **WH**= White
D - diffuser **F**= Frosted Ice OR optics **10, 20, 30, 40** degrees
T - LED top **RGBW**= Red + Green + Blue + White
B - LED bottom **WW**= Warm White 3000K

Accessoires

PS.24.16 Power supply 24DVC 16W for powering one fixture
 PS.24.XXX Power supply 24DVC ...W for powering several fixtures *see page 41-43
 DLF.ADR.XXX Pre-programmed DMX address

material: painted aluminium - weight: 350 g - 24VDC - max 15W



°de light ful

colours ●●

DLF100WHI.**C.D.T.B** de light ful Fixture - 100 mm - Fixed Color (top: W , bottom: W)

C - body colour **BK**= Black, **WH**= White
D - diffuser **F**= Frosted Ice
T - LED top **WW**= Warm White 3000K
B - LED bottom **WW**= Warm White 3000K

DLF100CLR.**C.D.T.B** de light ful Fixture - 100 mm - Fixed Color (top: R/G/B/W/... , bottom: W)

C - body colour **BK**= Black, **WH**= White
D - diffuser **F**= Frosted Ice
T - LED top **R**= Red, **G**= Green, **B**= Blue, **W**= White, **Y**= Yellow, **M**= Magenta, **C**= Cyan
B - LED bottom **WW**= Warm White 3000K

DLF100DMX5.**C.D.T.B** de light ful Fixture - 100 mm - 5 channel DMX (top: RGBW , bottom: W)

C - body colour **BK**= Black, **WH**= White
D - diffuser **F**= Frosted Ice
T - LED top **RGBW**= Red + Green + Blue + White
B - LED bottom **WW**= Warm White 3000K

Accessoires

PS.24.16 Power supply 24DVC 16W for powering one fixture (WHI/CLR version)
 PS.24.XXX Power supply 24DVC ...W for powering several fixtures *see page 41-43
 DLF.ADR.XXX Pre-programmed DMX address

material: painted aluminium - weight: 450 g - 24VDC - max 18W for WHI/CLR, max 22W for DMX version

