



°de light ful

°de light ful is a hanging tubular light fixture with integrated LED light. With a light source on top and bottom, you can create your own atmosphere. The use of this lighting-object will give an extra dimension to your room. You can choose for a version with solid colors or for a version with dynamic colors controllable by DMX. The RGBW LEDs give you the opportunity to choose any desired color.

Design by Eden Design









DLF55.C.D.T.B		de light ful fixture - 100 mm	CE IP20 ENEC
Color body	BK WH	black matt ral 9011 white matt ral 9016	
Diffuser	F O10 O20 O30 O40	frosted 10° optic 20° optic 30° optic 40° optic	
Top led	WW2	3000K 800 lm	
Bottom led	WW2 R G B Y M C RGBW	3000K 800 lm red green blue yellow magenta cyan five channel DMX - RGBW	

material: painted aluminium - weight: 350 gr / 12,3 oz - 24VDC - max 18W for WHI/CLR, max 15W for DMX version



DLF100.C.T.B		de light ful fixture - 100 mm - frosted diffusers	CE IP20 ENEC
Color body	BK WH	black matt ral 9011 white matt ral 9016	
Top led	WW2	3000K 800 lm	
Bottom led	WW2 R G B Y M C RGBW	3000K red green blue yellow magenta cyan five channel DMX - RGBW	
Accessories			
PS.24.16	power supply 24DVC 16W for powering one fixture (WHI/CLR version) 2 pieces required: each led one driver		
PS.24.XXX	power supply 24DVC ...W for powering several fixtures (see page 76)		
DLF.ADR.XXX	pre-programmed DMX address		
DLF.ROSE.W	rose ceiling white, diameter 50 mm		
DLF.ROSE.B	rose ceiling black, diameter 50 mm		



material: painted aluminium - weight: 450 gr / 15,9 oz - 24VDC - max. 18W for WHI/CLR, max 22W for DMX version