

°bevel

The °bevel collection is being expanded with a surface mounted, recessed and a pendant monopoint version.

°bevel, known for its unique details at the top and bottom now have a new feature: a beautiful glass lens.

The fixture can also be combined with °line S, °bloc and °micr'online collections. °bevel comes in different aluminum finishes.





°bevel recessed - bronze brushed



°bevel surface - bronze brushed




°bevel recessed - pendant - surface / bronze brushed

°bevel recessed

materials	aluminum / glass
weight	150gr / 0.33lb
voltage	230 Vac (110V on request), remote driver
wattage	8,2 W
ugr	<19
dimming	DALI, 0-10V, 1-10V, switchDIM, phase cut, Casambi

IP20   



Order Code
20502.AA00.BBBB.CCC.DD bevel recessed

AA	Finish	
01	black	
02	white	
22	natural alu brushed	
23	brass alu brushed	
25	bronze alu brushed	
26	dark bronze alu brushed	
27	gun metal alu brushed	
28	nickel alu brushed	
32	copper alu brushed	
03	painting custom NCS color	
BBBB	Light	
9527	cri 95, 2700K	
9530	cri 95, 3000K	
CCC	Optic	Output 3000K - 350mA
300	20°	430lm
450	30°	525lm
600	50°	690lm
DD	Dimming	
ND	no dimming	
DA	dali	
PH	phase-cut	
CA	casambi	

Asseccories

9

°bevel surface

materials

weight

voltage

wattage

ugr

dimming

aluminum / glass

300gr / 0.66lb

230 Vac (110V on request), integrated driver

8,2 W

<19


DALI, phase cut, Casambi

IP20



CE





Order Code

20503.AA00.BBBB.CCC.DD bevel surface

AA	Finish	
01	black	
02	white	
22	natural alu brushed	
23	brass alu brushed	
25	bronze alu brushed	
26	dark bronze alu brushed	
27	gun metal alu brushed	
28	nickel alu brushed	
32	copper alu brushed	
03	painted custom NCS color	
BBBB	Light	
9527	cri 95, 2700K	
9530	cri 95, 3000K	
CCC	Optic	Output 3000°K - 350mA
300	20°	430lm
450	30°	525lm
600	50°	690lm
DD	Dimming	
ND	no dimming	
DA	dali	
PH	phase-cut	
CA	casambi	