eden design

novelties

°plug _{p.6}

°bloc line p.38

°cd+ _{p.48}

°micr'online p.50

°bevel p.66

The New Ones



Eden Design Handmade in Belgium

less design, distributed from Genk, Belgium to over 50 countries worldwide.

We use natural materials, selected with the greatest care. They are being processed in local workshops by professional craftsmen.



Eden Design Bespoke

Most of the lighting products can be customized, allowing to obtain an exclusive product that is adapted to your projects. You will thus be able to create an atmosphere, accentuate objects (clothes, paintings, ...) as you wish.

Eden Design **Innovation & Quality**

Artificial light is as important as sunlight, which is why Eden Design invests all its knowhow in exclusive and innovative lighting products that comply with international quality standards.



hib

handmade in BELGIUM

Our creatives



Bart Lens

Through his architecture and design, Bart Lens hopes to have an impact on our living environment. Bart Lens transforms things which already exist. As a part of the creative process, he observes how people experience their environment and how they occupy space. He is drawn ever closer to the materials, with the traditional ways of working them becoming ever more important. With this emphasis, Bart Lens brings sensitivity and atmosphere to a substantial part of the overall living environment.

lensass.be

Eden Design

Being active in the installation market for more than 35 years, Eden Design has built up a long history. Gradually turning to building automation, a significant know-how has been gathered.

When entering the path of design, this know-how has played a large role.

Creating innovative products, integrating technology and design is the main thought behind the Eden Design lighting.



Frits Jeuris

thinks while you talk to him. making, or rather creating.

fritsjeuris.be

Etre Moderne

Designers Philippe Vermeersch and Caroline Gielen are specialized in lighting, furniture and object design. Their style is no-nonsense, straightforward & unpretentious. At first sight simple, but sophisticated in detail. Different materials and techniques are like a red thread through the designs. They produce local (Belgium), wanting to preserve the work of craftsmen and to make their talent last.

etremoderne.be



Rubens-Frederix Architects

Strives for tactile and experimental design. At different scales, various issues such as spatial experience, materialization, relationships, etc. are questioned in interaction with the client in order to convert functional expectations into inspiring answers.

rubens-frederix.be

You have thinkers and you have doers. The Belgian creative artist Frits Jeuris (1975) clearly belongs to both categories. It can by no means be said that there is no thinking in Jeuris' 'head'. On the contrary, he

He sees concepts flying by behind his eyes and with a few strokes on a blank sheet he draws simple sketches that immediately make clear what he has in mind. At that moment, the conceptual thinker with a critical eye not only has an idea, but also immediately knows how it can possibly be realized. His knowledge of technology and materials is often based on his experience in

Frits Jeuris looks, analyses, thinks and then makes a statement with a surprisingly pure design.



°plug

Is a minimalistic tubular light fixture that allows infinite variations. The modular light line consists of tubes that form a luminous network. The name refers to the 'jack plug', an electrical connector that provides a simple switching principle. °plug makes all conceivable connections possible in a grid with building blocks of 15 cm.



archiproducts DESIGN AWARDS WINNER



Oval & Linear

Different types of curves allow to design beautiful oval & round compositions.

With the wall brackets you can create long linear wall compositions.



Ø16mm

360°

Up & down light

The very slim tube gives a unique look to your interior. All the elements can be rotated 360°, allowing a creative and functional light design.

Different colors

Up to 300 lumen

°plug



Grid

Combining lighting elements with stylish angular and connecting elements can make a bespoke grid, adapted to your requirements.



cro ss spot & T end inter tube 300	150 mm	5 29/32 "					
inter tuile 300	<>	*					+++
inter tube 300							_
inter tube 300						 	
inter tube 300 inter tube 300 inter tube 450 inter tube 450 inter tube 450 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 750 inter tube 750 inter tube 750 inter tube 750 inter tube 750 inter tube 750 inter tube 750 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter	cro ss	spot & T	end				
inter tube 300 inter tube 300 inter tube 450 inter tube 450 inter tube 450 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 750 inter tube 750 inter tube 750 inter tube 750 inter tube 750 inter tube 750 inter tube 750 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter							
inter tube 300 inter tube 300 inter tube 450 inter tube 450 inter tube 450 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 600 inter tube 750 inter tube 750 inter tube 750 inter tube 750 inter tube 750 inter tube 750 inter tube 750 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter 100 inter 100 inter 100 inter tube 750 inter						curve 225	
inter tube 450						spot curve	
inter tube 450	 						
inter tube 600	Inter tube 300						
inter tube 600							
inter tube 600							
inter tube 600							
inter tube 600	 inter tube 450						
inter tube 600							+
inter tube 600						 	
inter tube 600							
Inter tube 750 Inter tube 750 Inter tube 750 Inter tube 750 Inter tube 900 Inter tube 750 Inter tube 900 Inter tube 750 Inter tube 750 Inter 100 Inter tube 750 Inter 100 Inter tube 750 Inter 100 Inter 750 Inter 100 <t< td=""><td></td><td></td><td></td><td>cur</td><td>ve U 750</td><td></td><td></td></t<>				cur	ve U 750		
inter tube 900 Image: State Stat	inter tube 600						
inter tube 900 Image: State Stat							
inter tube 900 Image: State Stat							+
inter tube 900 Image: State Stat							
inter tube 900 Image: State Stat							
Index Index <td< td=""><td>inter tube 750</td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	inter tube 750						
Index Index <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>							
Index Index <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>-</td></td<>							-
Index Index <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>							
Index Index <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td></td<>							_
Iight tube 750 Iight tube 750 Iight tube 750 Iight tube 750 Iight tube 750 Iight Iig	inter tube 900						
Iight tube 750 Iight tube 750 Iight tube 750 Iight tube 750 Iight tube 750 Iight Iig							
Iight tube 750 Iight tube 750 Iight tube 750 Iight tube 750 Iight tube 750 Iight Iig							
Iight tube 750 Iight tube 750 Iight tube 750 Iight tube 750 Iight tube 750 Iight Iig							
Iight tube 750 Iight tube 750 Iight tube 750 Iight tube 750 Iight tube 750 Iight Iig	 light tube 600						
light tube 900							+
light tube 900							+
light tube 900							
light tube 900							
light tube 900	light tube 750						
							+
─ <u></u> <u></u>				cur	ve 825		
				+ +			-+

Plug & Play

The basis of this system is the "jack plug". It is being repurposed to connector and sliding contact, combined with LED technology.

Every part can be plugged into another, rotated 360 degrees and modulated in an imaginary 3D grid.


Modulation is done with a simple system: every module is 15cm or a multiple of it. To merge the parts, no tools are required.

Think of a sober simple line above a table, or a busy network, running through a whole building ...

Available in brass, bronze, copper, gun metal & natural aluminium colors or black, white or custom color.







°light tube

°spot T






Up or down light

Up to 300 lumen Element of 150 mm

Up to 900 lumen for 900 mm Lenghts: 300, 600 & 900 mm









Rotating spot - up to 300 lm Element of 150 mm Diameter disk 80 mm

°exo



Monopoint Up to 300 lumen

Pendant in a composition





Up to 300 lumen









Ceiling mount with long brackets 100mm



U750 curve with spot & light tube - brass finish

Bracket for wall or ceiling

Suspension for Ceiling



diam. 12 mm




for plasterboard, wood, or similar (some free space needed above panel for cable)





Wall mounted






wall & pending configuration (Brewery de Es, Jeuris-Jordens)



L - configuration (Brewery de Es, Jeuris-Jordens)



°bloc line

TRANSPORT DA LA DE LA DE

Our °bloc, now available in one profile with diffuser or reflectors. Rounded or flat edges. Ceiling mounted or elegantly suspended. Up- and downlight. Different colors to match your interior design.

No. of Concession, Name

STREET, STREET





Wall



300, 600 mm or custom



°bloc monopoint wall 600

Opal diffuser



High visual comfort (UGR<16)






Brushed Bronze 300, 600 mm or custom

Brushed Aluminum 1000 lumen / spot of 300 mm

°bloc

Combine modular elements in different premium materials for beautiful, stylish lighting.






Flat

Light & Round ^{new}

Round ^{new}





°bloc.spot, bianco carrara & °bloc, oak with custom dye finish Apartment, Belgium - Rubens-Frederix architecten



°cd+

°cd is a spot that was especially developed for cast concrete ceilings at first.

This new version $^{\circ}$ cd+ can also be recessed into other types of ceilings and shows the elegant disc.

The spots can easily be mounted in drilled holes in the ceiling. Different aluminum finishes are available to match your interior.




Finishes



°micr'online

The new 48V low voltage family of tracks was born out of necessity to miniaturize. Still holding the DNA of our traditional °online system but with new round edges for a soft and trendy look.

The °micr'online range offers different tracks and luminaires to obtain maximum flexibility in lighting projects. All the tracks have the same "smart core" with integrated databus for light control. Dali and Casambi for wireless control allow every luminaire to be controlled individually.








Recessed track M5

Low & compact profile.

Excellent application for concrete ceilings that are plastered. The thickness of standard plasterwork is enough to recess the M5 track.

Can also be used with plasterboard ceilings.





°micr'online

360°

Miniaturised Soft Round Edges






Finishes

Powerful Light

Thin Size 13mm





°micr'online



Surface track M1

Very small track Easy to mount on the ceiling Minimal visual impact Round corners both vertically and horizontally







°knick micro

°turn micro





Up to 650 lumen Black Color Track head or monopoint

Up to 350 lumen Brass Color

°out micro

°bevel






Up to 600 lumen Bronze Color Track head or monopoint

Up to 700 lumen Aluminium & Dark bronze Color

°tubu 40

°in.spot & °in.opal





Up to 420 lumen Black Coated

°bevel

The °bevel collection is being expanded with a surface mounted, recessed and a pendant monopoint version.

°bevel, known for its unique details at the top and bottom now have a new feature: a beautiful glass lens.


The fixture can also be combined with °line S, °bloc and °micr'online collections. °bevel comes in different aluminum finishes.





°bevel recessed

°bevel recessed




Up to 600 lumen Available for outdoor

Aluminium

°bevel surface

°bevel surface



Integrated power supply & control (240Vac) Up to 600 lumen Available for outdoor







°bevel recessed, pendant & surface - bronze