




# °bubli new


An ode to local craftsmanship. Made in a local workshop where traditional techniques meet contemporary design, each mouth-blown piece is unique in shape, tone, and light diffusion. Subtle variations in the glass reflect the artisanal process and give the lamp its authentic character.

Engineered with a high-quality COB LED and precision glass lens for excellent visual comfort and consistent illumination. Smooth dimming down to 1% or dim-to-warm allows the light atmosphere to be perfectly tailored to any setting.










ca. 820 - 32.28



ca. 500 - 19.68



ca. 300 - 11.81



# °bubli colors

**Please note:** colors may vary. Because this product is handmade, the colors of the glass may slightly differ from the images shown on our website. All photos are for reference purposes only. Minor color variations are inherent to the handcrafted nature of the product and make each piece truly unique.

Other colors on request.



02. opal white



03. light beige opal



04. champagne



06. dark gold



10. orange



11. orange beige opal



21. fushia pink



22. pink opal



30. turquoise



31. light blue



32. light blue opal



33. dark blue



40. green



41. blue green



42. olive green dark




43. light green opal



44. olive green light



50. light gray



51. gray



60. light brown




62. dark brown

# °bubli pendant

materials	aluminum / glass
weight	ca. 1,2 kg - 2,65 lb / pc
voltage	110-240 Vac
wattage	standard 3,3W @180mA (18V) - max 5,3W @300mA
cable length	standard 2m (or custom up to 80m)
dimming	dali, 0/1-10V, phase cut, casambi (remote driver required)
ugr	<10

IP20   



ca. Ø 165 - 6.49

## Order Code


26000.AAAA.BBBB.CCC bubli single pendant

AA	Color disk	BBBB	Light	CCC	Optic	Output for 3000K 3,3W
01	black	9027	cri 90+, 2700K			
02	white	9030	cri 90+, 3000K			
22	natural alu brushed	DW27	dim to warm 2700K-1800K (on request)			
23	brass alu brushed					
25	bronze alu brushed					
26	dark bronze alu brushed					
27	gun metal alu brushed					
28	nickel alu brushed					
03	custom paint color					
AA	Color glass					
02	white opal					
03	light beige opal					
04	champagne					
06	dark gold					
10	orange					
11	orange beige opal					
21	fushia pink					
22	pink opal					
30	turquoise					
31	light blue					
32	light blue opal					
33	dark blue					
40	green					
41	blue green					
42	olive green dark					
43	light green opal					
44	olive green light					
50	light gray					
51	gray					
60	light brown					
62	dark brown					

# °bubli ceiling / wall

materials	aluminum / glass
weight	ca. 1,2 kg - 2,65 lb / pc
voltage	110-240 Vac
wattage	standard 3,3W @180mA (18V) - max 5,3W @300mA
dimming	dali, 0/1-10V, phase cut, casambi (remote driver required)
ugr	<10

IP20   



ca. Ø 165 - 6.49

## Order Code

26001.AAAA.BBBB.CCC


bubli single ceiling/wall mount (remote driver)

AA	Color disk	BBBB	Light	CCC	Optic	Output for 3000K 3,3W
01	black	9027	cri 90+, 2700K			
02	white	9030	cri 90+, 3000K			
22	natural alu brushed	DW27	dim to warm 2700K-1800K (on request)			
23	brass alu brushed					
25	bronze alu brushed					
26	dark bronze alu brushed					
27	gun metal alu brushed					
28	nickel alu brushed					
03	custom paint color					
AA	<b>Color glass</b>					
02	white opal					
03	light beige opal					
04	champagne					
06	dark gold					
10	orange					
11	orange beige opal					
21	fushia pink					
22	pink opal					
30	turquoise					
31	light blue					
32	light blue opal					
33	dark blue					
40	green					
41	blue green					
42	olive green dark					
43	light green opal					
44	olive green light					
50	light gray					
51	gray					
60	light brown					
62	dark brown					

# °bubli track

materials	aluminum / glass
weight	ca. 1,2 kg - 2,65 lb / pc
voltage	48 Vdc
wattage	standard 3,3W @180mA (18V) - max 5,3W @300mA
cable length	for pendant:standard 2m (or custom up to 80m)
dimming	dali, casambi
ugr	<10

IP20   



ca. Ø 165 - 6.49

## Order Code

**26200.AAAA.BBBB.CCC.DD**  
**26201.AAAA.BBBB.CCC.DD**  
**26202.AAAA.BBBB.CCC.DD**  
**26203.AAAA.BBBB.CCC.DD**

bubli track line S on track, black adaptor  
 bubli track line S pendant - custom cable length, black adaptor  
 bubli track line S on track, white adaptor  
 bubli track line S pendant - custom cable length, white adaptor

## AA Color disk

01	black
02	white
22	natural alu brushed
23	brass alu brushed
25	bronze alu brushed
26	dark bronze alu brushed
27	gun metal alu brushed
28	nickel alu brushed
03	custom paint color

## AA Color glass

02	white opal
03	light beige opal
04	champagne
06	dark gold
10	orange
11	orange beige opal
21	fushia pink
22	pink opal
30	turquoise
31	light blue
32	light blue opal
33	dark blue
40	green
41	blue green
42	olive green dark
43	light green opal
44	olive green light
50	light gray
51	gray
60	light brown
62	dark brown

## BBBB Light

9027	cri 90+, 2700K
9030	cri 90+, 3000K
DW27	dim to warm 2700K-1800K (on request)

## CCC Optic

500	lens glass 50°
001	opal drop

## Output for 3000K 3,3W

up to 300lm (depending on color glass)
up to 100lm (depending on color glass)

## DD Dimming

ND	no dim
DA	dali
CA	casambi

# °bubli accessories

## Order Code

### Recessed

**91004.AA00** recessed canopy - for single or bundle 3/7



**26520.AA00** tube bundle 3/7

**26521.AA00** tube bundle 19



### AA Color

01	black
02	white
22	natural alu brushed
23	brass alu brushed
25	bronze alu brushed
26	dark bronze alu brushed
27	gun metal alu brushed
28	nickel alu brushed
03	custom paint color

### Surface mounted

**26500.AA00** canopy single (remote driver)

**26501.AA00** round canopy single

**26502.AA00** round canopy 3

**26503.AA00** round canopy 5

**26504.AA00** round canopy 7

**26505.AA00** round canopy 12

**26506.AA00** round canopy 16

**26507.AA00** round canopy 20

**265xx.AA00** round canopy custom

**26511.AA00** round canopy bundle 3/7

**26512.AA00** round canopy bundle 19

**26515.AA00** long canopy 5

**26516.AA00** long canopy 7

**26517.AA00** long canopy 9

### AA Color

01	black
02	white

## Order Code

### Cable

**26540** extension cable 4m total length

**26541** extension cable 6m total length

**26542** extension cable 8m total length

**26543** extension cable 12m total length

**26544** extension cable 20m total length

**26545** extension cable 50m total length

## Order Code

### Drivers

<b>90050.0000</b>	10W constant current mini led driver PHASE CUT dim - 230Vac	1-3
<b>90051.0000</b>	10W constant current mini led driver DALI dim - 230Vac	1-3
<b>90052.0000</b>	10W constant current mini led driver CASAMBI dim - 230Vac	1-3
<b>90053.0000</b>	10W constant current mini led driver PHASE CUT dim - 120Vac	1-3
<b>90054.0000</b>	10W constant current mini led driver DALI dim - 120Vac - 240Vac	1-3

<b>90041.0000</b>	20W constant current led driver DALI dim - 120-240Vac	4-5
<b>90042.0000</b>	20W constant current mini led driver PHASE CUT dim - 230Vac	4-5
<b>90043.0000</b>	20W constant current mini led driver PHASE CUT dim - 120Vac	4-5

<b>90047.0000</b>	60W constant current maxi led driver DALI/1-10V/push dim - 120-240Vac	6-12
<b>90048.0000</b>	50W constant current maxi led driver PHASE CUT dim - 240Vac	6-12
<b>90049.0000</b>	60W constant current maxi led driver PHASE CUT dim - 120Vac	6-12

**90007.0000** casambi to dali interface (up to 40 devices) 110-240Vac

### # bulbs